

SLIM

N131WU , 13.3" laptop



N131WU Specification

Processor / Core Logic	<ul style="list-style-type: none"> • 8th generation Intel® Core™ processors • Intel® Core™ i3-7100U processor (14nm, 2.4GHz, DDR4-2133MHz, 3MB Smart Cache, TDP: 15W) 	
Display	<ul style="list-style-type: none"> • 13.3" (33.78cm) QHD+ (3200x1800) / FHD (1920x1080) / HD+ (1600x900) / 16:9 panel, 2.85mm 	
Memory	<ul style="list-style-type: none"> • Dual channel DDR4 • Two 260 pins SODIMM sockets, support DDR4 2400MHz (Real operation frequency depends on processor) • Expandable memory up to 32GB, depends on 4GB/8GB/16GB SODIMM Module 	
Video Controller	<ul style="list-style-type: none"> • Intel® HD Graphics 620 (i3-7100U integrated) <ul style="list-style-type: none"> - Dynamic frequency - Intel Dynamic Video Memory Technology - Microsoft DirectX® 12 compatible 	<ul style="list-style-type: none"> • 8th generation Intel® integrated VGA
Storage	<ul style="list-style-type: none"> • One changeable 2.5" 7.0mm(H) HDD / SSD, SATA interface • (Factory Option) One M.2 SSD 2280, SATA/PCIE Gen3x4 interface 	
Audio	<ul style="list-style-type: none"> • High Definition Audio • Built in microphone • (Factory option) Built in array microphone • Built in two speakers 	
Keyboard and Pointing Device	<ul style="list-style-type: none"> • Multi languages A4 size isolated keyboard • (Factory Option) Multi languages A4 size isolated illuminated keyboard • Built in touch pad with Microsoft PTP multi-gesture and scrolling function 	
I/O ports	<ul style="list-style-type: none"> • 2 x USB 3.0 (USB3.1 Gen 1) ports (Type A) • 1 x USB 3.0 (USB3.1 Gen 1) port (Type C) or (Factory option) Thunderbolt™ 3 combo port (Type C) • 1 x Mini Display port 1.2 • 1 x HDMI™ output port (with HDCP) • 1 x Headphone jack • 1 x Microphone jack • 1 x RJ-45 LAN port • 1 x DC-in jack 	
Card Reader	<ul style="list-style-type: none"> • 6-in-1 Card reader <ul style="list-style-type: none"> -MMC / RSMMC -SD / mini SD / SDHC / SDXC 	



Remark:

*Battery life may vary depending on applications and configuration.

*Weight tolerance is +/- 5%.

*The content is subject to change without notices. Other brand and product names are trademarks and/or register trademarks of their respective companies.

N131WU Specification

Slot	<ul style="list-style-type: none"> • Three M.2 card slot <ul style="list-style-type: none"> - 1st for WLAN Combo M.2 2230 Card with PCIe and USB interface (A Key) - 2nd for M.2 SSD 2280 Card with SATA / PCIE Gen3x4 interface (M Key) - (Factory Option) 3rd for LTE or UMTS/HSPA+ M.2 3042 Card with USB interface (B Key)
Communication	<ul style="list-style-type: none"> • Built in 10/100/1000Mb Base-TX Ethernet LAN • (Factory option) Intel® Dual Band Wireless-AC 8265, 2x2 AC +BT M.2 2230 (Windstorm Peak) • (Factory option) Intel® Dual Band Wireless-AC 3168, 1x1 AC +BT M.2 2230 (Sandy Peak) • (Factory option) UMTS/HSPA+ M.2 module 3042 • (Factory option) LTE M.2 module 3042 • 1.0M HD video camera or (Factory option) Windows Hello Camera
Power Supply	<ul style="list-style-type: none"> • Full Range AC adapter, AC in 100~240V, 50~60Hz, DC output 19V 2.1A, 40W (TBD) • Embedded Polymer Smart Lithium-Ion battery pack, 36WH • Battery life: 480 minutes (with 36WH battery)(TBD)
Security	<ul style="list-style-type: none"> • Security (Kensington® Type) Lock Slot • Intel® PTT for system without Hardware TPM • (Factory option) TPM 2.0
Others design	<ul style="list-style-type: none"> • Metal (A/C/D) • Shipping mode • Flexicharger • Intel Optane
O.S. Support	<ul style="list-style-type: none"> • Windows® 10
Certificate	<ul style="list-style-type: none"> • Windows® 10 Logo • HDMI™ Logo
Dimension	<ul style="list-style-type: none"> • 329.8(W) x 225(D) x 17.8(H)mm
Weight	<ul style="list-style-type: none"> • 1.3kg, including Barebone and 36WH Battery

Remark:

*Battery life may vary depending on applications and configuration.

*Weight tolerance is +/- 5%.

*The content is subject to change without notices. Other brand and product names are trademarks and/or register trademarks of their respective companies.